



Separation Technology for Oilfield Applications

Protection of the environment

Mechanical Separation Technology Enables You to Progress

Separators and decanters are centrifuges with which liquid mixtures can be separated with simultaneous removal of the solids.

Separators are vertical bowl high speed centrifuges, up to 10,000 G, which are primarily applied for the clarification and separation of liquids with and without solids content. Max. particle size is 0.5 mm with a total solids content of 0.1-3 % can be separated. The throughput capacities of separators range from 50 to 250,000 l/h; a comfortable spectrum which accommodates the units for all process steps of separation technology.



When the solids content in the suspension to be processed is too high, up to 60 %, it's time to call in the decanters. They are often placed upstream of a centrifuge and achieve high clarification efficiencies and maximum dewatering. They are also employed for the separation of liquids with simultaneous removal of the solids. The essential preconditions here are a high bowl speed, up to 4000 G, a powerful drive for the scroll and a scroll speed that is automatically adapted to the solids concentration in the feeds.



Available separator and decanter features

- High separation efficiency
- No impact from ship / platform movement
- Achieve down to 5 ppm oil in water
- IMO MEPC.107(49) approved
- Reduced need of chemicals
- Gastight design available
- Self-cleaning or manual centrifuges
- Nozzle centrifuges
- Ex-Zone 1 & 2
- ATEX approved
- Compact and robust design
- Plug and play system

Perfection Counts on Oilfields

Demand and requirements applicable for processing rigs and FPSO's for the oil industry are increasing. Operating reliability, weight and space requirements are major parameters. Westfalia Separator Mineraloil Systems supplies plug and play processing systems which comply with even the most stringent environmental requirements and feature the latest weight and space saving designs.

They handle continuous liquid-liquid-solids separation in a wide range of applications and a wide range of capacities. The centrifuges are specifically designed to cope with the needs and circumstances on site, with permanent reduction of costs.

They are used in the following applications:

Upstream			Downstream
On- and offshore installations Oil & gas production			Oil refineries Gas treatment plant Tank terminal
Drilling <ul style="list-style-type: none"> ■ Brine ■ Drain water ■ Drilling mud ■ Slop water ■ Solids control ■ Tank cleaning 	Production <ul style="list-style-type: none"> ■ Crude oil ■ Drain water ■ Produced water 	Utilities <ul style="list-style-type: none"> ■ Bilgewater ■ Fuel oil ■ Hydraulic oil ■ Lube oil 	<ul style="list-style-type: none"> ■ Cat fines ■ MEG ■ Slop oil ■ Slop water ■ Tank bottoms

Always at Your Side

Westfalia Separator Mineraloil Systems is regarded worldwide as a leader in the field of centrifugal separation technology. Centrifugal separators have been in the company's production schedule since its founding in 1893.

Westfalia Separator Mineraloil Systems GmbH, a subsidiary of Westfalia Separator AG, with head office in Oelde, is a market leader in the field of centrifugal treatment of mineral oils and their derivatives. Modern production facilities at the headquarters in Oelde, in Niederruhr/Westerwald and Château-Thierry/France guarantee a high standard of workmanship.

The first centrifuge was applied for the purification and dewatering of mineral oil back in 1907. Today, ten thousands of centrifuges take care of the reliable and economical treatment of fuel and lube oils as well as oily and watery sludges.

The sales programme comprises centrifugal separators, decanters and the associated system technology for applications on board of ships, in power plants, for crude oil recovery and in industry. With the further development of tried and tested solutions

as well as the new development of innovative technology, solutions are found for the centrifugal duties in the sectors Marine, Oilfield and Energy.

Optimum service with warranty

No matter what happens - Westfalia Separator Mineraloil Systems is at your service. The service team will help you locally, quickly, reliably and naturally with original spare parts from Westfalia Separator Mineraloil Systems. Further, Westfalia Separator Mineraloil Systems offers a bowl exchange service with warranty and individual service contracts with corresponding guarantees.

At your service worldwide

The MASS center in Hamburg and over 50 service partners over the world ensure the best support worldwide. Quality, reliability and safety are top priorities.

- Beverage Technology
- Dairy Technology
- Oils and Fats Processing
- Chemicals, Pharmaceuticals and Biotechnology
- Oils and Fats Recovery
- Starch Technology and Industrial Biotechnology
- Environmental Technology
- Marine
- Energy
- Oilfield
- Industry
- Engineering
- Second Hand Machinery
- Service

The information contained in this brochure merely serves as a non-binding description of our products and is without guarantee.

Binding information, in particular relating to capacity data and suitability for specific applications, can only be provided within the framework of concrete inquiries.

Printed on chlorine-free bleached paper

9997-1291-000/0906 EN

Printed in Germany

Subject to modification

**Westfalia Separator
Mineraloil Systems GmbH**
Werner-Habig-Str. 1
59302 Oelde (Germany)

Phone +49 2522 77-0
Fax +49 2522 77-1778
mineraloilsystems@gea-westfalia.de
www.westfalia-separator.com



Take the Best – Separate the Rest

A company of GEA Group

**Westfalia Separator
Mineraloil Systems**